

Dekwall



Fascinating walls with the comfort of cork

Nature around you



Cork is a natural material that comes from the bark of the cork oak tree, with unique and incomparable qualities that no ingenious human has yet managed to copy or improve. Its cell structure resembles a honeycomb, enabling it to act as a natural thermal and sound insulator and also providing shock absorbing properties.

These exclusive qualities of cork make it ideal to use in flooring, as it grants an exceptional comfort while also being a renewable and sustainable resource.



Over the years, Wicanders has developed floor and wall coverings with exclusive properties due to its innovative Corktech technology.

By using a unique engineered multilayer structure, which combines state of the art technology with the exclusive natural properties of cork, a higher standard in wall coverings was achieved, providing the perfect match between beauty, comfort and durability.

The uniqueness of **Dekwall** wall coverings was achieved by integrating two cork layers with different purposes. The thicker layer is made with agglomerated cork and is used as a backing, providing superior comfort, noise reduction and warmth. The decorative veneer is a thin sheet of cork, created by combining various shapes of natural cork, achieving genuine and authentic visuals full of personality. For increased protection, the visual is coated with a waxed or varnished finishing.



Agglomerated cork Sound reduction. warmth & comfort

Genuine cork veneer Decorative visual

Protective Finishing Waxed or Varnished



MORE THAN JUST **BEAUTIFUL WALL COVERINGS**



+ SILENCE







for years to come.



+ SUSTAINABILITY

The cork oak is never damaged by the harvesting, making cork ideal in terms of the ever increasing demand for conservation of natural resources.



Perfection and harmony can only be found in nature. The cork fascinating and distinct natural shapes give a special touch to interior wall decoration, creating unique spaces full of style and charm.

Cork's natural properties make it an excellent sound absorber. Cork wall coverings reduce noise transmission between and within rooms, creating a quieter and peaceful environment.

+ NATURAL THERMAL INSULATION

The canaqtéristiques liniquestid'is destands entrique proviète affreptioned température albtimente quend and tour l'annoée, van antissand aifaritable ambiance withserteratgucesse artrolsus confortable et une économie des

Cork cells are crush resistant and will bounce back from hard impacts. These properties create a very durable product, preserving a perfect look

UNIQUE DESIGNS

Alabaster

Cosy elegance

This graceful visual with rich cork textures is perfect to create elegant and delightful ambiances. Alabaster collection blends the desire of well-being with contemporary beauty.





Alabaster Chalk TA10001 - 600 x 300 x 3,0mm Finishing: Varnish



Alabaster Porcelain TA12001 - 600 x 300 x 3,0mm Finishing: Varnish



Alabaster Cream TA11001 - 600 x 300 x 3,0mm Finishing: Varnish



Bamboo

Exotic beauty

The beauty of this collection upgrades the singular look of bamboo into an incomparable stylish design. This linear bamboo visual brings an original touch of exotic beauty to the atmosphere, creating spaces full of harmony and sophistication.







Bamboo Terra TA04001 - 600 x 300 x 3,0mm Finishing: Varnish



Bali RY48001 - 600 x 300 x 3,0mm Finishing: Wax





Bamboo Artica TA01001 - 600 x 300 x 3,0mm Finishing: Varnish





Bamboo Toscana TA05001 - 600 x 300 x 3,0mm Finishing: Varnish

Cayman

Cosy and relaxed

The blended design of Cayman was created to infuse a warm touch of natural serenity into interior decors. The small organic forms of cork, appeal to our senses and capture the cosy essence of nature.



Cayman RY56001 - 600 x 300 x 3,0mm Finishing: Wax







Flores White RY07001 - 600 x 300 x 3,0mm Finishing: Wax

Natural sophistication The natural texture of Flores is emphasized through a delicate white tone which is perfect to add natural sophistication into modern or even more minimalist decoration styles.

Flores

Fiord

Luxurious personality

This luxurious visual with big random virgin cork portions will create expressive and charming interiors. A modern-day collection that exudes tastefulness.







Fiord Natural RY15001 - 600 x 300 x 3,0mm Finishing: Wax



Fiord White RY19001 - 600 x 300 x 3,0mm Finishing: Wax



Fiord Exclusive RY19002 - 600 x 300 x 3,0mm Finishing: Wax





Hawai

Organic character

Unique effects and shapes suggest the return to nature through spaces steeped in organic sensations. The stunning textures of Hawai will enrich the personality of contemporary decors.





Hawai Natural RY11001 - 600 x 300 x 3,0mm Finishing: Wax







Hawai Exclusive RY77001 - 600 x 300 x 3,0mm Finishing: Wax

Hawai

Organic character

Combined with contrasting base colours, Hawai visuals are enhanced and get dressed with a more expressive fresh modern look.



Hawai White RY77002 - 600 x 300 x 3,0mm Finishing: Wax





Hawai Black Pearl RY1F001 - 600 x 300 x 3,0mm Finishing: Wax



Hawai Black Oyster RY1G001 - 600 x 300 x 3,0mm Finishing: Wax



Hawai Black Platinum RY1H001 - 600 x 300 x 3,0mm Finishing: Wax



Hawai Black Platinum



Canaria

Suburban charm

Canaria has a traditional design adding the charm of a rustic atmosphere to everyday life. This visual lets you feel at one with nature in a modern home.



Canaria RY33001 - 600 x 300 x 3,0mm Finishing: Wax





Melville

Refined rustic

Based on a refined cork visual, Melville is the ideal choice if you are aiming for timeless beauty. Rustic designs are trending in modern interior decoration, and Melville results in an inviting and captivating atmosphere.



Melville RY40001 - 600 x 300 x 3,0mm Finishing: Wax

Stone Art

Spaces of Glamour

Stone art recreates the stone surface texture with a majestic and warm cork veneer. This collection will turn spaces into a statement of elegance and glamour.





Stone Art Pearl TA23001 - 600 x 300 x 3,0mm Finishing: Varnish



Stone Art Oyster TA22001 - 600 x 300 x 3,0mm Finishing: Varnish



Stone Art Platinum TA24001 - 600 x 300 x 3,0mm Finishing: Varnish



Malta

Contemporary sophistication

A traditional look with modern colors and state of the art technology was the perfect combination to create this contemporary new collection. Malta is very versatile: it gives tastefulness to a modern ambiance and brings sophistication to a simple décor.



Malta Chestnut RY1L001 - 600 x 300 x 3,0mm Finishing: Wax



Malta Moonlight RY1N001 - 600 x 300 x 3,0mm Finishing: Wax







Malta Platinum RY1K001 - 600 x 300 x 3,0mm Finishing: Wax







Malta Champagne RY1M001 - 600 x 300 x 3,0mm Finishing: Wax

Piel

Natural peacefulness

Piel collection has a captivating visual that makes any room pleasant and fashionable at the same time. This style exudes a natural peacefulness, perfect for relaxing.



Piel Nut RY11001 - 600 x 300 x 3,0mm Finishing: Wax







Piel Āqua RY1J001 - 600 x 300 x 3,0mm Finishing: Wax



Think green **choose** Wicanders

Wicanders[®] is a truly sustainable brand! Produced by Amorim, it represents a unique balance between the creation of wealth and the protection of the environment. The starting point is a raw material that is extracted cyclically from the cork oak trees without ever damaging them. This raw material is then transformed into high value-added products while promoting the economic and social sustainability of areas at risk of desertification.

Several eco-efficiency studies, based on a comparative analysis with several other types of flooring, illustrate the excellent environmental performance of Wicanders[®] products and its manufacturing process. Besides the smaller amounts of energy and raw materials required for the manufacturing process, these products actively contribute to reducing global warming, not only through their low emissions, but also due to cork's natural property of retaining CO_{2} .

It is estimated that the Portuguese cork oak forest – montado – is responsible for retaining 5% of the country's annual CO_2 emission, representing 4.8 million tons per year.



The importance of Cork Oak

The Cork Oak (Quercus Suber L.) is a tree belonging to the Oak family from which Cork is extracted. Its value is based not only on the products extracted from the tree, but on all of the agricultural, forest, pastoral and hunting activities that revolve around the cultivation of the Cork Oak.

Regular extraction of the Cork (a process called stripping) is a fundamental contribution for environmental, economic and social sustainability in the rural areas of the Mediterranean region where the Cork Oak may be found.

The Cork tree is a slow growing tree, which may live for 200 years, which allows it, on average, to be stripped 16 times during its lifetime. The first extraction of cork from the Cork Oak tree occurs only 25 years after planting, following which it is harvested in 9 year cycles, without ever damaging the tree in any way. This method allows the cork oak forest to fulfill its role of fixing $CO_{2'}$ thus actively contributing to reduce global warming.

The Cork forest in Portugal (700.000 hectares), known as "Montado", is a typical Iberian Landscape which is key in supporting a natural bio-diversity, including some of the most endangered species in the world: Iberian Lynxes, Imperial Eagles', Black Storks, Wolves and Wild Bears.





As of January 2012, France has adopted regulations that limit total VOC emissions of building products. Manufacturers, selling their products in France must obtain a classification ranging from A+ (very low emissions) to C (high emissions). The declared goal is to improve indoor air quality in private/ commercial buildings.



Technical solutions

Technical Data Sheet

Dimensions Available			600x300x3mm	
		Unit	Result	
	Standard - Test Method		Wax	Varnish
Dimensions	EN 427	mm	600 ± 0.5% 300 ± 0.5%	
Squareness	EN 427	mm	600: < 1.0mm 300: < 0.5mm	
Thickness	ISSO 7322	mm	3.0 ± 0.3%	
Apparent density	EN 672	Kg/m ³	≥ 200	
Dimension stability	EN 434	%	≤ 0.4	
Curling	EN 434	mm	≤ 6	
Moisture content	EN 12105	%	≤7	
Formaldehyde	EN 12149, method C	mg/Kg	≤ 95	
Vinyl Chloride Monomer (VCM)	EN 12149, TEST B	mg/Kg	≤ 0,2	
Thermal resistance	EN 12667	m2 K/w	0.0583	0.0572
Reaction to Fire	EN 13501-1	Class	E _{sp} d0	D _{si} , d0
Sound Absorption	ISO 354	αw	0.10	
Release of heavy metals and specific elements	EN 12149		fulfilled	



Product Selector

	Dekwall	
	WAX	VARNISH
hickness (mm)	3	3
imension (mm)	600x300	600x300
ommercial Reference		
li	RY48001	
anaria	RY33001	
elville	RY40001	
ayman	RY56001	
ores White	RY07001	
alta Platinum	RY1K001	
alta Chestnut	RY1L001	
alta Champagne	RY1M001	
alta Moonlight	RY1N001	
wai Natural	RY11001	
wai White	RY77002	
wai Exclusive	RY77001	
wai Black Pearl	RY1F001	
wai Black Oyster	RY1G001	
wai Black Platinum	RY1H001	
ord Natural	RY15001	
ord White	RY19001	
ord Exclusive	RY19002	
el Nut	RY1I001	
el Āqua	RY1J001	
one Ärt Oyster		TA22001
one Art Platinum		TA24001
one Art Pearl		TA23001
abaster Porcelain		TA12001
abaster Cream		TA11001
abaster Chalk		TA10001
mboo Ārtica		TA01001
amboo Toscana		TA05001
amboo Terra		TA04001





Produced by Amorim, the worldwide market leader in cork products, Wicanders matches nature's most pure values with avant-garde technologies to provide high quality, ecologic and stylish flooring. Wicanders has an unsurpassed reputation for developing high standard and unique comfortable flooring solutions, following the latest decoration tendencies and targeting both residential and commercial market segments.

Wicanders is truly a sustainable brand!

www.wicanders.com



DE	Amorim Deutschland GmbH (+49) 4221 5 93-01 germany.	ar.de@amorim.com	
NL/BE/LU	Amorim Benelux B.V. (+31) 166 604 111 info	.ar.nl@amorim.com	
AT	Amorim Deutschland GmbH (+43) 1 54 51 65 10austria.a	ar.de@amorim.com	
CH	Amorim Flooring Switzerland AG (+41) 41 726 20 20	info@amorim.ch	AMORIM
PT	Amorim Revestimentos, S.A. (+351) 227 475 600 gen	ral.ar@amorim.com	HeadQuarters
ES	Amorim Revestimentos, S.A. (+34) 902 307 407 info.	.ar.es@amorim.com	Amorim Revestimentos S.A
FR	Amorim Revestimentos, S.A. (+33) 800 914 848 info	o.ar.fr@amorim.com	(+351) 227 475 600
DK	Timberman Denmark A/S (+45) 995 252 52 timberm	nan@timberman.dk	geral.ar@amorim.com
PL	Dom Korkowy, Sp. z o.o. (+48) 126 379 639 krake	ow@domkorkowy.pl	(C) 26 (C)
US	Amorim Flooring North America (+1) 410 553 60 62 info.	.ar.us@amorim.com	부정님
RU	Amorim Revestimentos, S.A. (+7) 495 280 7860 info.	.ar.ru@amorim.com	



CE



